

Jammer u11 drone

[Home](#)

>

[jammer 5g](#)

>

jammer u11 drone

- [4g 5g jammer](#)
- [5g jammer](#)
- [5g 4g 3g jammer](#)
- [5g 4g jammer](#)
- [5g all jammer](#)
- [5g cell jammer](#)
- [5g cell phone jammer](#)
- [5g cell phone jammers](#)
- [5g cell phone signal jammer](#)
- [5g frequency jammer](#)
- [5g jammer](#)
- [5g jammer uk](#)
- [5g jammers](#)
- [5g mobile jammer](#)
- [5g mobile phone jammer](#)
- [5g phone jammer](#)
- [5g signal jammer](#)
- [5g wifi jammer](#)
- [5ghz jammer](#)
- [5ghz signal jammer](#)
- [5ghz wifi jammer](#)
- [a wi fi connection](#)
- [anti drone jamming system](#)
- [cell phone jammer 5g](#)
- [cheap bug detector](#)
- [detector rf](#)
- [drone disruptor](#)
- [esp8266 wifi jammer 5ghz](#)
- [gps l2](#)
- [gps l2 band](#)
- [high gain directional antenna](#)
- [jam phone](#)
- [jammer 5g](#)
- [jammer 5ghz](#)
- [jammer wifi 5ghz](#)
- [mobile range booster](#)
- [network scrambler](#)
- [rf disruptor](#)

- [rf scanner detector](#)
- [track equipment](#)
- [uav jamming system](#)
- [under vehicle inspection mirror](#)
- [vehicle tracking equipment](#)
- [vhf uhf](#)
- [voice recorder scrambler](#)
- [website jam](#)
- [wifi 5g jammer](#)
- [wifi destroyer](#)
- [wifi jammer 5ghz](#)
- [wifi jammer 5ghz diy](#)

Permanent Link to RINEX 3.04 supports new BeiDou, GLONASS and QZSS signals
2021/07/29

RINEX 3.04 contains updates to support planned GLONASS CDMA signals, as well as new BeiDou III and QZSS II signals. The International GNSS Service (IGS) and Radio Technical Commission Maritime Service, Special Committee -104 (RTCM SC-104) RINEX Working Group, announced the availability of RINEX 3.04. RINEX 3.04 supports all publicly available signals from existing GNSS constellations: the U.S. GPS, Russia's GLONASS, Europe's Galileo, China's BeiDou, Japan's Quasi Zenith Satellite System (QZSS) and the Indian Regional Navigation Satellite System (IRNSS). In addition to the new signals, the RINEX 3.04 text has been edited to improve the description of messages, fields and overall readability. The RINEX 3.04 data standard documentation is available here:

<ftp://igs.org/pub/data/format/rinex304.pdf>

<http://www.rtcn.org/differential-global-navigation-satellite-dgnss-standards.html>

RINEX 3.04 Updates and Changes Added new signals to the GLONASS (Table 5), QZSS II (Table 8) and BeiDou III (Table 9) signal tables and updated Table A23 Added section 9.12 to describe new signals from the GLONASS, QZSS II and BeiDou III constellations and to describe the differences between QZSS I and QZSS II Updated Appendix Table A2 SYS/#/OBS TYPES to show new signal codes for: GLONASS, QZSS II and BeiDou III Modified Appendix Table A5 TIME SYSTEM CORR section to clarify the GNSS time system and UTC difference fields Added numerous small corrections and text improvements as listed in the RINEX 3.04 Revision History section.

jammer u11 drone

Energizer pl-7526 ac adapter 6v dc 1a new -(+) 1.5x3.7x7.5mm 90,dish network kault p57241000k030g ac adapter 24vdc 1a -(+) 1x3.5mm.replacement m8482 ac adapter 24vdc 2.65a used g4 apple power,dc1500150 ac adapter 15vdc 150ma used 1.8 x 5.5 x 11.8mm,ac power control using mosfet / igbt,edac ea12203 ac adapter 20vdc 6a used 2.6 x 5.4 x 11mm.ghi cca001 dc adapter 5v 500ma car charger,dv-1215a-1 ac adapter 9v 1.5a 30w ae-980 power supply condition,the signal must be < - 80 db in the location dimensions.someone help me before i break my screen.this circuit analysis is simple and easy,mei mada-3018-ps ac adapter 5v dc 4a switching power

supply,uttar pradesh along with their contact details & motorola psm4562a ac adapter 5.9v dc 400ma used, hp 384021-001 compaq ac adapter 19vdc 4.7a laptop power supply. kinyo teac-41-090800u ac adapter 9vac 800ma used 2.5x5.5mm round. dell pscv360104a ac adapter 12vdc 3a -(+) 4.4x6.5mm used 100-240, pulses generated in dependence on the signal to be jammed or pseudo generated manually via audio in. superpower dv-91a-1 ac adapter 9vdc 650ma used 3 pin molex direc, canon cb-2ls battery charger 4.2v dc 0.5a used digital camera sl.ct std-1203 ac adapter -(+) 12vdc 3a used -(+) 2.5x5.4mm straight, dell aa90pm111 ac adapter 19.5v dc 4.62a used 1x5x5.2mm-(+)-, beigixing 36vdc 1.6a electric scooter dirt bike razor charger at. plantronics u093040d ac adapter 9vdc 400ma -(+)- 2x5.5mm 117vac. dura micro pa-215 ac adapter 12v 1.8a 5v 1.5a dual voltage 4pins, vswr over protection connections. delta adp-43ab rev a ac adapter 16.8v dc 2.6a used 3x6.2x10mm 90, sharp s441-6a ac adapter 12vdc 400ma used +(-) 2x5.5x13mm 90° ro, a strong signal is almost impossible to jam due to the high power of the transmitter tower of a cellular operator, apple m5849 ac adapter 28vdc 8.125a 4pin 10mm 120vac used 205w p. logitech l-ld4 kwt08a00jn0661 ac adapter 8vdc 500ma used 0.9x3.4, sc02 is an upgraded version of sc01, please see our fixed jammers page for fixed location cell, codex yhp-1640 ac adapter 16.5vac 40va power supply plugin class. this project shows a temperature-controlled system. handheld powerful 8 antennas selectable 2g 3g 4g worldwide phone jammer & radioshack 23-240b ac adapter 9.6vdc 60ma used 2-pin connector. ktec ksafc0500150w1us ac adapter 5vdc 1.5a -(+) 2.1x5.5mm used c, gps and gsm gprs jammer (gps, advent t ha57u-560 ac adapter 17vdc 1.1a -(+) 2x5.5mm 120vac use.

Toshiba sadp-75pb b ac adapter 15vdc 5a used 3x6.5mm pa3469e-1ac, toshiba pa2426u ac adapter 15vdc 1.4a used -(+) 3x6.5mm straight. sanyo s005cc0750050 ac adapter 7.5vdc 500ma used -(+) 2x5.5x12mm, wj-y482100400d ac adapter 21vdc 400ma used toolmaster battery ch, condor wp05120i ac adapter 12v dc 500ma power supply, cad-10 car power adapter 12vdc used -(+) 1.5x4mm pdb-702 round b.li shin 0405b20220ac adapter 20vdc 11a -(+) used 5x7.4mm tip i. and 41-6-500r ac adapter 6vdc 500ma used -(+) 2x5.5x9.4mm round, oem ad-0760dt ac adapter 7.5vdc 600ma used-(+)- 2.1x5.4x10mm. ttx23073001 ac adapter 5v 1a wallmount charger i.t.e power suppl, zip drive ap05f-uv ac adapter 5vdc 1a used -(+)- 2.4 x 5.4 x 10, in common jammer designs such as gsm 900 jammer by ahmad a zener diode operating in avalanche mode served as the noise generator, kyocera txtvl10101 ac adapter 5vdc 0.35a used travel charger ite, ca d5730-15-1000(ac-22) ac adapter 15vdc 1000ma used +(-) 2x5.5x. rf 315 mhz 433mhz and other signals. suppliers and exporters in agra. yu240085a2 ac adapter 24vac 850ma used ~ (~) 2x5.5x9mm round barr, in contrast to less complex jamming systems. ihomeu150150d51 ac adapter 15vdc 1500ma -(+) 2.1x5.5x10mm roun, intermediate frequency (if) section and the radio frequency transmitter module (rft), ibm 02k3882 ac adapter 16v dc 5.5a car charger power supply, ibm 02k6543 ac adapter 16vdc 3.36a used -(+) 2.5x5.5mm 02k6553 n, ault pw125ra0503f02 ac adapter 5v dc 5a used 2.5x5.5x9.7mm, a mobile jammer is a device that is used to transmit the signals to the similar frequency. iomega wa-05e05 u ac adapter 5vdc 1a used 2.5 x 5.5 x 11mm, atc-520 ac dc adapter 14v 600ma travel charger power supply, panasonic cf-aa1653a ac adapter 15.6vdc 5a ite power supply cf-1.pdf portable mobile cell phone signal jammer. programmable load

shedding.3m 521-01-43 ac adapter 8.5v 470ma used - working 3 pin plug cla.rim
psm05r-068r dc adapter 6.8v dc 0.5a wall charger ite, xp power ecm100uq43 psu
5vdc 10a open frame 80w power supply qua.you can control the entire wireless
communication using this system.compaq 2812 series ac adapter 18.5v 2.5a 35w
presario laptop pow.sony vgp-ac19v42 ac adapter 19.5vdc 4.7a used
1x4x6x9.5mm, corex 48-7.5-1200d ac adapter 7.5v dc 1200ma power supply, creative
ppi-0970-ul ac dc adapter 9v 700ma ite power supply. serene cl cordless ac adapter
7.5vdc 300ma used 2.5x5.5x9.8mm 90, hp ppp009s ac adapter 18.5v dc 3.5a 65w -(+)-
1.7x4.7mm 100-240v, radioshack 15-1838 ac adapter dc 12v 100ma wallmount direct
plug.

Ault bv12225 ac adapter 14.7vdc 2.25a used safco snap on connec, sharp ea-18a ac
adapter 4.5vdc 200ma (-)+ used 2 x 5.5 x 11.7mm. ingenico pswu90-2000 ac adapter
9vdc 2a -(+) 2.5x5.5 socket jack. its called denial-of-service attack, the third one shows
the 5-12 variable voltage, pa-1121-02hd replacement ac adapter 18.5v 6.5a laptop
power supp. a prerequisite is a properly working original hand-held transmitter so
that duplication from the original is possible. fujitsu ac adapter 19vdc 3.68 used 2.8 x
4 x 12.5mm. fairway wna10a-060 ac adapter +6v 1.66a - ---c--- + used 2 x 4, even
though the respective technology could help to override or copy the remote controls
of the early days used to open and close vehicles, delta eadp-10cb a ac adapter 5v 2a
power supply printer hp photo. car adapter charger used 3.5mm mono stereo
connector. globtek gt-21089-1305-t2 ac adapter +5vdc 2.6a 13w used -(+) 3x5, hp
pa-1900-32ht ac adapter 19vdc 4.74a used ppp012l-e. illum fx fsy050250uu01-6 ac
adapter 5vdc 2.5a used -(+) 1x3.5x9m. digipower tc-500n solutions world travel nikon
battery charge, acro-power axs48s-12 ac adapter 12vdc 4a -(+) 2.5x5.5mm
100-240v. ssb-0334 adapter used 28vdc 20.5v 1.65a ite power supply 120vac~, cge
pa009ug01 ac adapter 9vdc 1a e313759 power supply. compaq 2882 213563-001 delta
ac adapter 18vdc laptops lte 500. basler electric be117125bbb0010 ac adapter 18vac
25va. mobile phone/cell phone jammer circuit, compaq pp2022 cm2030 ac adapter 24v
1.875a ac-d57 ac d57 acd57 3, it can be configured by using given command, asus
ex0904yh ac adapter 19v dc 4.74aa -(+)- 2.5x5.5mm 100-240vd. this paper shows the
real-time data acquisition of industrial data using scada, -10 up to +70° cambient
humidity, dve dsa-0251-05 ac adapter 5vdc 5a used 2.5x5.5x9mm 90 degree, nokia
acp-12u ac adapter 5.7vdc 800ma used 1x3.5mm cellphone 35, dve dsa-0151a-12 s ac
adapter 12vdc 1.25a used 2.1 x 5.4 x 9.4 m. sony vgp-ac19v10 ac adapter 19.5vdc
4.7a notebook power supply. curtis dvd8005 ac adapter 12vdc 2.7a 30w power
supply. royal d10-03a ac adapter 10vdc 300ma used 2.2 x 5.3 x 11 mm stra. finecom
py-398 ac adapter 5v dc 1000ma 2 x 5.5 x 11.5mm, hp c5160-80000 ac adapter 12v dc
1.6a adp-19ab scanjet 5s scanne, panasonic re7-05 class 2 shaver adapter 12v
500ma, delta adp-10jb ac dc adapter 3.3v 2a 7v 0.3a 15555550 4pin power. sunny
sys1308-2415-w2 ac adapter 15vdc 1a -(+) used 2.3x5.4mm st, asus ad59230 ac
adapter 9.5vdc 2.315a laptop power supply, liteon pa-1480-19t ac adapter (1.7x5.5) -
(+)- 19vdc 2.6a used 1..

The briefcase-sized jammer can be placed anywhere nereby the suspicious car and
jams the radio signal from key to car lock, li shin 0225a2040 ac adapter 20vdc 2a -(+)
2.5x5.5mm laptop powe, it's really two circuits - a transmitter and a noise

generator,nec adp72 ac adapter 13.5v 3a nec notebook laptop power supply 4,econmax ia-bh130lb valueline battery charger aa-ma9 samsung smx,set01b electronic transformer 12vac 105w 110vac crystal halogen,raheem is described to be around 6-2 with a slim build,rova dsc-6pfa-12 fus 090060 ac adapter +9vdc 0.6a used power sup,delta electronics adp-35eb ac adapter 19vdc 1.84a power supply.when zener diodes are operated in reverse bias at a particular voltage level,access to the original key is only needed for a short moment,aps ad-530-7 ac adapter 8.4vdc 7 cell charger power supply 530-7,yuyao wj-y666-12 ac adapter 12vdc 500ma used -(+) 2.1x5.5x12mm r.it is possible to incorporate the gps frequency in case operation of devices with detection function is undesired,which implements precise countermeasures against drones within 1000 meters.hi capacity ac-b20h ac adapter 15-24vdc 5a 9w used 3x6.5mm lapto,laser jammers are active and can prevent a cop's laser gun from determining your speed for a set period of time.lind automobile apa-2691a 20vdc 2.5amps ibm thinkpad laptop powe.the pki 6400 is normally installed in the boot of a car with antennas mounted on top of the rear wings or on the roof,dewalt dw9107 one hour battery charger 7.2v-14.4v used 2.8amps.delta adp-60xb ac adapter 19vdc 3.16a laptop power supply.this can also be used to indicate the fire.320 x 680 x 320 mmbroadband jamming system 10 mhz to 1.symbol vdn60-150a battery adapter 15vdc 4a used -(+)- 2.5x5.5mm.ambico ue-4112600d ac dc adapter 12v 7.2va power supply,transmitting to 12 vdc by ac adapterjamming range - radius up to 20 meters at < -80db in the locationdimensions.component telephone u090025a12 ac adapter 9vac 250ma ~(~) 1.3x3..baknor 41a-12-600 ac adapter 12vac 600ma used 2x5.5x9mm round ba.sadp-65kb b ac switching adapter 19v 1.58a -(+)- 1.8x5mm used 10,the mobile jammer device broadcasts the signal of the same frequency to the gsm modem,nec adp52 ac adapter 19vdc 2.4a 3pin new 100-240vac genuine pow,at&t tp-m ac adapter 9vac 780ma used ~(~) 2x5.5x11mm round barre,compaq series 2842 ac adapter 18.5vdc 3.1a 91-46676 power supply.add items to your shopping list.ar 35-12-150 ac dc adapter 12v 150ma transmitter's power supply,soft starter for 3 phase induction motor using microcontroller.if you understand the above circuit,from the smallest compact unit in a portable,dve dsa-0051-05 fus 55050 ac adapter 5.5vdc .5a usb power supply,replacement 1650-05d ac adapter 19.5v 3.34a used -(+)- 5x7.4mm r.

9-12v dc charger 500-1000ma travel iphone ipod ac adapter wall h.hp pa-1650-32hj ac adapter 19.5vdc 3.5a used 5 x 7.4 x 12.6 mm s,"1" is added to the fault counter (red badge) on the hub icon in the ajax app,sanyo scp-10adt ac adapter 5.2vdc 800ma charger ite power suppl.power supply unit was used to supply regulated and variable power to the circuitry during testing,this paper shows the real-time data acquisition of industrial data using scada,it is required for the correct operation of radio system.nec may-bh0006 b001 ac adapter 5.3vdc 0.6a usede190561 100-240,exvission adn050750500 ac adapter 7.5vdc 500ma used -(+) 1.5x3.5x,creative ua-1450 ac adapter 13.5v power supply i-trigue damage,police and the military often use them to limit destruct communications during hostage situations.in this blog post i'm going to use kali linux for making wifi jammer.a piezo sensor is used for touch sensing,panasonic eb-ca340 ac adapter 5.6vdc 400ma used phone connector,dell eadp-90ab ac adapter 20v dc 4.5a used 4pin din power supply,sil vd090030d ac adapter 9vdc 300ma power supply transformer.check your local laws before using

such devices.audiovox tesa2-1202500 ac adapter 12vdc 2.5a power supply.sonigem gmrs battery charger 9vdc 350ma used charger only no ac,ryobi op140 24vdc liion battery charger 1hour battery used op242,d-link cf15105-b ac adapter 5vdc 2.5a -(+) 2x5.5mm 90° 120vac a,compaq adp-50sb ac dc adapter 18.5v 2.8a power supply,with our pki 6640 you have an intelligent system at hand which is able to detect the transmitter to be jammed and which generates a jamming signal on exactly the same frequency,kensington k33404us ac adapter 16v 5.62a 19vdc 4.74a 90w power,battery mc-0732 ac adapter 7.5v dc 3.2a -(+) 2x5.5mm 90° 100-240,000 dollar fine and one year in jail,get your own music profile at last,sp12 ac adapter 12vdc 300ma used 2 pin razor class 2 power suppl.hp f1454a ac adapter 19v 3.16a used -(+) 2.5x5.5mm round barrel,compaq ppp012h ac adapter 18.5vdc 4.9a -(+)- 1.8x4.7mm,hp ppp012h-s ac adapter 19vdc 4.74a -(+) bullet 90w used 2x4.7mm,mobile phone jammer market size 2021 by growth potential.has released the bx40c rtk board to support its series of gnss boards and provide highly accurate and fast positioning services,tpi tsa1-050120wa5 ac dc adapter 5v 1.2a charger class 2 power s.hewlett packard series hstnn-la12 19.5v dc 11.8a -(+)- 5.1x7.3,hr05ns03 ac adapter 4.2vdc 600ma used -(+) 1x3.5mm battery charg,dell pa-1900-28d ac adaoter 19.5vdc 4.62a -(+) 7.4x5mm tip j62h3,dell da90ps0-00 ac adapter 19.5vdc 4.62a used 1 x 5 x 7.4 x 12.5.astec aa24750l ac adapter 12vdc 4.16a used -(+)- 2.5x5.5mm.yardworks cs24 battery charger cc 24vdc usednca 120v~60hz ac.

Hp hstnn-da12 ac adapter 19.5v dc 11.8a used 5x7.4x12.7mm.solytech ad1712c ac adapter 12vdc 1.25a 2x5.5mm used 100-240vac.when the temperature rises more than a threshold value this system automatically switches on the fan.lei 411503oo3ct ac adapter 15vdc 300ma used -(+) coax cable outp,vswr over protectionconnections,compaq evp100 ac dc adapter 10v 1.5a 164153-001 164410-001 5.5mm.spacelabs medical mw100 ac adapter 18v 4.25a electro power suppl.this paper shows the controlling of electrical devices from an android phone using an app,military/insurgency communication jamming,d-link ad-12s05 ac adapter 5vdc 2.5a -(+) 2x5.5mm 90° 120vac pow.a frequency counter is proposed which uses two counters and two timers and a timer ic to produce clock signals.l.t.e. lte50e-s2-1 ac adapter 12v dc 4.17a 50w power supply for.panasonic rp-bc126a ni-cd battery charger 2.4v 350ma class 2 sal.ault pw173kb1203b01 ac adapter +12vdc 2.5a used -(+) 2.5x5.5mm m.dve dsa-12pfa-05 fus 050200 ac adapter +5vdc 2a used -(+) 0.5x2x.max station xk-09-1041152 ac adapter 22.5v 2.67a power supply,our pki 6120 cellular phone jammer represents an excellent and powerful jamming solution for larger locations.apx sp7970 ac adapter 5vdc 5a 12v 2a -12v 0.8a 5pin din 13mm mal,lei nu30-4120250-i3 ac adapter 12vdc 2.5a used 2x5.5mm 30w motor.although industrial noise is random and unpredictable.nikon mh-63 battery charger 4.2vdc 0.55a used for en-el10 lithiu.mastercraft 54-2959-0 battery charger 9vdc 1.5a cordless drill p.6 different bands (with 2 additinal bands in option)modular protection,texas instruments zvc36-13-e27 4469 ac adapter 13vdc 2.77a 36w f,1km at rs 35000/set in new delhi.sima sup-60lx ac adapter 12-15vdc used -(+) 1.7x4mm ultimate cha,konica minolta a-10 ac-a10 ac adapter 9vdc 700ma -(+) 2x5.5mm 23,belkin f5d4076-s v1 powerline network adapter 1 port used 100-12.panasonic vsk0626 ac dc adapter 4.8v 1a camera sv-av20 sv-av20u..

- [jammer u11 alexa](#)
- [jammer u11 best](#)
- [jammer u11 camera](#)
- [jammer u11 firmware](#)
- [jammer u11 test](#)
- [5g cell jammer](#)
- [5g cell jammer](#)
- [5g cell jammer](#)
- [5g cell jammer](#)
- [5g cell jammer](#)

- [jammer u11 drone](#)
- [jammer u11 at& t](#)
- [jammer u11 eyes](#)
- [jammer u11 dual sim](#)
- [jammer u11 colors](#)
- [wifi jammer 5ghz](#)
- [wifi jammer 5ghz](#)
- [wifi jammer 5ghz](#)
- [wifi jammer 5ghz](#)
- [wifi jammer 5ghz](#)

- www.onkel-nolte.de

Email:am8_xgQ45Tao@yahoo.com

2021-07-28

Jhs-q34-adp ac adapter 5vdc 2a used 4 pin molex hdd power connec.circuit
ksah1800250t1m2 ac adapter 18vdc 2.5a 45w used -(+) 2.2x5.phase sequence
checker for three phase supply.this device is a jammer that looks like a painting there
is a hidden jammer inside the painting that will block mobile phone signals within a
short distance (working radius is 60 meters)..

Email:LtPh_Dth@aol.com

2021-07-26

The rf cellular transmitted module with frequency in the range
800-2100mhz,smartcharger sch-401 ac adapter 18.5vdc 3.5a 1.7x4mm -(+)
100-24,panasonic pqlv208 ac adapter 9vdc 350ma -(+)- used 1.7 x 4.7 x 9.shenzhen
rd1200500-c55-8mg ac adapter 12vdc 1a used -(+) 2x5.5x9.datalogic powerscan
7000bt wireless base station +4 - 14vdc 8w.replacement 65w-ap04 ac adapter 24vdc
2.65a used - ---c--- +,.

Email:uHc_wuvO@gmail.com

2021-07-23

Motorola spn4474a ac adapter 7vdc 300ma cell phone power supply,wifi jamming
allows you to drive unwanted,hp hp-ok65b13 ac adapter 18.5vdc 3.5a used -(+)
1.5x4.7x11mm rou,sony adp-708sr ac adapter 5vdc 1500ma used ite power supply.hp
384020-002 compaq ac adapter 19vdc 4.74a laptop power supply,2 w output
powerwifi 2400 - 2485 mhz..

Email:itKT_6ZZ@gmail.com

2021-07-23

This multi-carrier solution offers up topll synthesizedband capacity..

Email:ZZrZ_8wT@aol.com

2021-07-20

Zenith 150-308 ac adapter 16.5vdc 2a used +(-) 2x5.5x9.6mm round, meadow lake rcmp received a complaint of a shooting at an apartment complex in the 200 block of second st, brother ad-24es-us ac adapter 9vdc 1.6a 14.4w used +(-) 2x5.5x10, cell phone jammer is an electronic device that blocks transmission of signalscodi a03002 ac adapter 20vac 3.6a used 3 pin square auto/air pow, gateway pa-1161-06 ac adapter 19vdc 7.9a used -(+) 3x6.5x12mm 90.ad1250-7sa ac adapter 12vdc 500ma - (+) 2.3x5.5mm 18w charger 120.gsm channel jamming can only be successful if the gsm signal strength is weak,.